

# CRITICAL CONCENTRATIONS OF ZINC IN WHEAT

R. L. BANSAL AND G. S. SEKHON

*Department of Soils, Punjab Agricultural University, Ludhiana*

## ABSTRACT

Representative samples of the surface soil encompassing a range in dithizone extractable zinc were collected from several locations in Vijalpur, Tulewal and Fatehpur soil series of the soil and water management project, Patiala. In the greenhouse, wheat variety Kalyansona was grown on these soils. Plant samples were taken at 20 and 60 day's growth of the plants and also at maturity. Twenty ppm of zinc in wheat plant was found to be the critical concentration.

## INTRODUCTION

The concentration of a nutrient in the plant tissue varies considerably during various phases of its growth. An important factor controlling crop yield is the phased application of required amount of nutrients in accordance with the periodical demands of the plant. If plant analysis shows low values of zinc early in the growth period, remedial action can be taken. The present investigation was, therefore, undertaken to study the zinc content in wheat at different stages of its growth and to relate it with zinc uptake and dry matter yield, and to find out the critical concentration of zinc in wheat.

## MATERIAL AND METHODS

Bulk soil samples, representing a range in the ammonium acetate-dithizone extractable zinc, were collected from a depth of 0-15 cm, from 29 locations in Vijalpur, Tulewal and Fatehpur soil series of the Soil and Water Management Project, Patiala (ANONYMOUS, 1971). These were analysed for their texture, pH, electrical conductance and organic carbon by the methods described by PIPER (1950), and for  $\text{CaCO}_3$  by the method of PURI (1949). Soil samples were analysed for available zinc by extraction with ammonium acetate-dithizone (SHAW AND DEAN, 1952).

A greenhouse study was conducted by growing wheat variety Kalyansona in Polythene lined pots, each having 3 kg soil. Three replications were provided. The soil was treated with zinc sulphate solution to provide 0, 2.5, 5.0 and 10.0 ppm zinc. A basal dose of N,  $\text{P}_2\text{O}_5$  and  $\text{K}_2\text{O}$  at the rate of 120, 60 and 60 ppm was applied as ammonium sulphate, potassium dihydrogen orthophosphate and potassium sulphate respectively. The pots were irrigated with deionized water during crop growth. Plant samples were taken at three different stages of growth, i.e. 20 and 60 days after germination and at maturity. These were washed in succession with 0.1 N HCl, distilled water and deionized water, dried and ground before analysis. Dried samples were digested in triple acid mixture of perchloric acid, distilled  $\text{HNO}_3$  and  $\text{H}_2\text{SO}_4$  (all A. R. grade) in the ratio 3 : 9 : 1 and the zinc in the digest was determined by atomic absorption spectrophotometer.

The Bray's (1948) per cent yield was worked out as under:

$$\text{Bray's per cent yield} = \frac{\text{Yield without zinc application}}{\text{Yield with optimum zinc application}} \times 100$$

Bray's per cent zinc uptake was also calculated similarly.

## RESULTS AND DISCUSSION

The texture of the experimental soils varied from sand to sandy loam, pH from 8.1 to 9.8, electrical conductance from 0.02 to 0.84 m mhos/cm, organic carbon from 0.02 to 0.52 per cent, CaCO<sub>3</sub> from traces to 2.43 per cent and available zinc from 0.22 to 2.25 ppm (Table 1).

Table 1—Physico-chemical characteristics of the experimental soil

| Location               | Texture       | pH<br>(1:2 Soil :<br>Water<br>suspension) | E.C.<br>m.mhos/cm | Organic<br>carbon<br>% | CaCO <sub>3</sub> % | Available<br>zinc<br>(ppm) |
|------------------------|---------------|---|-------------------|------------------------|---------------------|----------------------------|
| <i>Vijalpur Series</i> |               |   |                   |                        |                     |                            |
| Kherifattan I ..       | Sandy loam .. | 8.9                                       | 0.14              | 0.50                   | 0.34                | 0.45                       |
| Kherifattan II ..      | .. ..         | 9.1                                       | 0.84              | 0.52                   | 0.42                | 0.50                       |
| Daraula I ..           | .. ..         | 9.0                                       | 0.11              | 0.31                   | 0.27                | 0.40                       |
| Vijalpur I ..          | Loamy sand .. | 9.1                                       | 0.05              | 0.21                   | 0.14                | 0.25                       |
| Vijalpur II ..         | Sandy loam .. | 8.8                                       | 0.32              | 0.44                   | 2.43                | 0.17                       |
| Samana I ..            | .. ..         | 9.0                                       | 0.16              | 0.34                   | 0.45                | 0.60                       |
| Samana II ..           | .. ..         | 8.6                                       | 0.14              | 0.31                   | 0.06                | 1.380                      |
| Samana III ..          | .. ..         | 8.6                                       | 0.16              | 0.26                   | —                   | 0.64                       |
| Bhanra ..              | .. ..         | 9.0                                       | 0.27              | 0.51                   | 1.12                | 0.64                       |
| Lagro I ..             | .. ..         | 8.8                                       | 0.81              | 0.45                   | 1.29                | 0.40                       |
| Rajla ..               | .. ..         | 8.6                                       | 0.16              | 0.45                   | 0.06                | 2.25                       |
| Samana IV ..           | .. ..         | 8.9                                       | 0.11              | 0.26                   | 0.20                | 1.15                       |
| Kherifattan III ..     | .. ..         | 8.8                                       | 0.22              | 0.40                   | 0.50                | 0.22                       |
| <i>Tulewal Series</i>  |               |   |                   |                        |                     |                            |
| Daraula II ..          | Sandy loam .. | 8.4                                       | 0.22              | 0.28                   | 0.11                | 0.46                       |
| Samana V ..            | Loamy sand .. | 8.5                                       | 0.16              | 0.30                   | 0.50                | 1.50                       |
| Nasupur I ..           | Sandy loam .. | 8.7                                       | 0.05              | 0.28                   | ..                  | 0.70                       |
| Nasupur II ..          | .. ..         | 8.1                                       | 0.16              | 0.41                   | ..                  | 0.40                       |
| Bhanra II ..           | Loamy sand .. | 8.7                                       | 0.11              | 0.31                   | 0.08                | 0.84                       |
| Lagro II ..            | Sandy loam .. | 9.5                                       | 0.05              | 0.28                   | ..                  | 0.50                       |
| Daraula ..             | Loamy sand .. | 8.9                                       | 0.05              | 0.16                   | ..                  | 0.25                       |
| <i>Fatehpur series</i> |               |   |                   |                        |                     |                            |
| Kherifattan IV ..      | Loamy sand .. | 9.0                                       | 0.27              | 0.08                   | 0.59                | 1.50                       |
| Daraula III ..         | Sandy loam .. | 9.0                                       | 0.05              | 0.37                   | 0.20                | 0.60                       |
| Vijalpur III ..        | Loamy sand .. | 8.9                                       | 0.11              | 0.19                   | ..                  | 0.40                       |
| Nasupur III ..         | Sand ..       | 8.8                                       | 0.05              | 0.19                   | ..                  | 0.65                       |
| Bhanra III ..          | Loamy sand .. | 9.4                                       | 0.05              | 0.11                   | ..                  | 0.45                       |
| Bhanra IV ..           | .. ..         | 8.8                                       | 0.11              | 0.49                   | 1.23                | 1.08                       |
| Asarpur ..             | Sand ..       | 9.0                                       | 0.02              | 0.02                   | ..                  | 0.80                       |
| Daraula IV ..          | Loamy sand .. | 9.5                                       | 0.08              | 0.24                   | ..                  | 0.25                       |
| Chohat ..              | .. ..         | 9.8                                       | 0.08              | 0.08                   | 0.14                | 0.60                       |



The data on zinc content in wheat at different stages of growth (Table 2) indicate that application of zinc increased the zinc content in plant at all its growth stages. Zinc content was maximum at 20 days growth in all the zinc treatments and it decreased subsequently. This is likely due to greater accretion in dry matter production than zinc uptake during this period. It may partly be due to greater metabolic need of the plant for zinc during this interval. The period between 60 days growth and maturity represents a phase of translocation of the nutrients earlier absorbed by the plants. The results are in accordance with those of ISHIZUKA (1964) for the mineral nutrition of rice plants in general. CHAHAL (1971) also noticed higher zinc content in wheat at 20 day's growth than at 60 days or at maturity. This would suggest the importance of zinc in mineral nutrition of plants during early stages. However, a study of the partial nutrient efficiencies of the plant can throw more light on the critical stage of plant growth with respect to zinc nutrition.

Table 2—Effect of zinc application on zinc content (ppm) in wheat at different stages of growth

| Stages of growth (days) | Zinc applied to greenhouse pots (ppm) |      |      |      | Mean |
|-------------------------|---------------------------------------|------|------|------|------|
|                         | 0                                     | 2.5  | 5.0  | 10.0 |      |
| 20                      | 22.8                                  | 35.0 | 46.2 | 60.0 | 41.0 |
| 60                      | 18.6                                  | 28.0 | 85.0 | 44.1 | 31.4 |
| Maturity                | 12.5                                  | 21.6 | 26.7 | 32.3 | 25.3 |
| Mean                    | 17.9                                  | 28.2 | 35.6 | 45.5 |      |

The amount of zinc content in plants grown in zinc untreated pots at 20 and 60 day's growth, Bray's per cent zinc uptake and Bray's per cent dry matter yield are given in Table 3. The zinc content in plants at 20 and 60 day's growth varied from 13.6 to 42.2 ppm and 10.0 to 33.7 ppm with a mean value of 22.8 and 18.6 ppm. Zinc uptake and dry matter yield in the absence of zinc application was 18.7 to 63.4 per cent and 75.5 to 98.0 per cent of that due to zinc application at maturity. The rest of zinc uptake (36.6 to 81.3 per cent) and dry matter yield (2.0 to 24.5 per cent) may be attributed to zinc application.

In order to determine the critical levels of zinc in wheat plant at 20 and 60 day's growth, the values of zinc content in plants grown in zinc untreated pots at these stages were plotted against Bray's per cent zinc uptake at maturity (Figs. 1, 2), in accordance with the procedure of CATE AND NELSON (1965). The critical values thus obtained were 20 and 17 ppm respectively. If we consider a soil which gives 90 per cent of the maximum yield without zinc application (90 per cent Bray's per cent yield) as non-responsive to applied zinc, add the number of soils that produce plants with zinc content less than the critical levels at 20 day's and 60 day's growth but respond to zinc application and the number of soils that produce plants above the critical values but do not show a response, and express it in terms of percentage of all the soils, we get an overall predictive value. The predictive value thus obtained for both the stages was 55 per cent for dry matter yield and for the Bray's per cent zinc uptake there were 62 and 69 per cent at 20 and 60 day's

Table 3—Zinc concentration. Bray's per cent zinc uptake and Bray's per cent dry matter yield of wheat

| Location               | Zinc content (ppm) in plants grown in zinc untreated pots at |                | Bray's per cent zinc uptake (maturity) | Bray's per cent dry matter yield (maturity) |
|------------------------|--|----------------|--|---|
|                        | 20 days growth   | 60 days growth |  |   |
| <i>Vijalpur Series</i> |  |                |  |   |
| Kherifattan I ..       | 28.1   | 11.2           | 28.3                                   | 80.5  |
| Kherifattan II ..      | 16.6   | 20.0           | 50.0                                   | 81.2  |
| Daraula I ..           | 17.2   | 16.2           | 31.8                                   | 77.2  |
| Vijalpur I ..          | 19.4   | 12.5           | 46.6                                   | 92.3  |
| Vijalpur II ..         | 15.5   | 21.2           | 50.4                                   | 90.7  |
| Samana I ..            | 13.6   | 12.5           | 33.8                                   | 98.0  |
| Samana II ..           | 20.3   | 16.2           | 36.0                                   | 75.5  |
| Samana III ..          | 32.8   | 16.2           | 63.4                                   | 86.4  |
| Bhanra I ..            | 35.9   | 17.5           | 52.3                                   | 96.4  |
| Lagro I ..             | 25.0   | 22.5           | 32.2                                   | 86.0  |
| Rajla ..               | 21.8   | 33.7           | 39.0                                   | 95.4  |
| Samana IV ..           | 42.2   | 12.5           | 27.5                                   | 98.0  |
| Kherifattan III ..     | 25.0   | 20.0           | 21.9                                   | 86.4  |
| <i>Tulewal Series</i>  |  |                |  |   |
| Daraula II ..          | 20.3   | 20.0           | 22.9                                   | 90.3  |
| Samana V ..            | 20.3   | 21.2           | 38.0                                   | 88.5  |
| Nasipur I ..           | 29.1   | 26.2           | 30.6                                   | 97.2  |
| Nasipur II ..          | 17.2   | 13.7           | 29.0                                   | 90.2  |
| Bhanra II ..           | 25.0   | 23.7           | 49.4                                   | 91.0  |
| Lagro II ..            | 19.1   | 16.2           | 28.7                                   | 85.6  |
| Darauli ..             | 17.2   | 10.0           | 18.7                                   | 86.1  |
| <i>Fatehpur Series</i> |  |                |  |   |
| Kherifattan IV ..      | 18.7   | 13.7           | 16.5                                   | 83.5  |
| Daraula III ..         | 15.5   | 12.2           | 24.5                                   | 89.1  |
| Vijalpur III ..        | 13.6   | 20.0           | 31.7                                   | 81.1  |
| Nasipur III ..         | 13.6   | 25.0           | 19.6                                   | 85.1  |
| Bhanra III ..          | 26.6   | 21.2           | 39.0                                   | 90.3  |
| Bhanra IV ..           | 39.1   | 25.0           | 45.3                                   | 97.3  |
| Asanpur ..             | 29.1   | 20.0           | 46.3                                   | 86.0  |
| Daraula IV ..          | 25.0   | 21.2           | 30.8                                   | 77.4  |
| Chohat ..              | 17.2   | 16.2           | 33.7                                   | 91.6  |






Fig. 1. ZINC CONTENT IN WHEAT IN CONTROL POTS (ppm)




Fig. 2. ZINC CONTENT IN WHEAT IN CONTROL POTS (ppm).

growth. The values of zinc content in plants in zinc untreated pots at 20 and 60 day's growth were also correlated with Bray's per cent dry matter yield. There was significant positive coefficient of correlation at 20 day's growth ( $r = + 0.373^*$ ) and 60 days growth ( $r = + 0.545^{**}$ ), suggesting that the critical concentration in the plant at these stages can be taken as a criterion for predicting the response of zinc fertilization to wheat. However, if further work in the field confirms these values, these could be adopted as a useful yard stick in the plant analysis laboratory for the diagnosis of zinc deficiencies in suspected areas.

#### REFERENCES

Anonymous, (1971). Reconnaissance soil survey report. Regional Pilot Project, Soil and Water Management, Patiala, Punjab.

- BRAY, R. H. (1948). *Diagnostic techniques for soils and crops*, p. 56-85. Washington, D. C. American Potash Institute, Inc. 1948.
- CATE, R. B. & NELSON, L. A. (1965). A rapid method for correlation of soil test analysis with plant response data. *Tech. Bull. Internat. Soil test.* 1.
- CHAHAL, D. S. (1971). Studies on zinc phosphorus interaction using wheat as an indicator crop. *Ph.D., Thesis, Pb, Agri. Univ., Ludhiana.*
- ISHIZUKA, Y. (1964). Nutrients uptake at different stages of growth, in *The Mineral nutrition of the rice plant.* Johns Hopkins Press, Baltimore, Maryland, U.S.A. p. 199-218.
- PIPER, C. S. (1950). *Soil and Plant Analysis.* Hans Publishers, Bombay, India.
- PURI, A. N. (1949). *Soils and their physics and chemistry.* Reinhold Publishing House corp., New York, U.S.A.
- SHAW, E. & DEAN, L. A. (1952). Use of dithizone as an extractant to estimate the zinc nutrient status of soils. *Soil Sci.* **73**: 371-377.